

# Product data sheet

## Characteristics

# 45T3HNV

## TRANSFORMER DRY 3PH 45KVA

### 480V-208Y/120V

Product availability: Stock - Normally stocked in distribution facility

Price\*: 12396.00 USD



### Main

|                           |                            |
|---------------------------|----------------------------|
| Commercial Status         | Commercialised             |
| Product or component type | Non-Ventilated Transformer |
| Box number                | 19E                        |
| Insulation temperature    | 428 °F (220 °C)            |
| Network number of phases  | 3 phases                   |
| Primary voltage           | 480 V delta                |
| Rated power in VA         | 45 kVA                     |
| Secondary voltage         | 208Y/120 V                 |
| Number of tap-offs        | 6 2.5 % 2+ 4-              |
| Temperature rise          | 150 °C                     |
| Material                  | Aluminium                  |

### Ordering and shipping details

|                       |   |
|-----------------------|---|
| Category              | 16273 - NON VENT NON RESIN LVGP                   |
| Discount Schedule     | PE2   |
| GTIN                  | 00785901181309                                    |
| Nbr. of units in pkg. | 1   |
| Package weight(Lbs)   | 526.00  |
| Product availability  | Stock - Normally stocked in distribution facility |
| Returnability         | Y   |
| Country of origin     | MX  |

### Contractual warranty

|        |           |
|--------|-----------|
| Period | 18 months |
|--------|-----------|

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein. \*Prices are indicative