



# PRODUCT DATA SHEET

Controlled Document - Engineering Drive

1530 Shields Drive  
Waukegan, IL 60085  
Toll-Free (800) 323-9355  
Fax: (847) 689-1192

PART NUMBER: 99270  
DESCRIPTION: 24/4PR CAT5e, 2 QUAD SHLD COAX WITH A JACKET  
CONSTRUCTION: This cable consists of two standard 24/4 pair Category 5e cables (96263) and two standard quad shield coax cables (92041) cabled together with a tubed PVC jacket.  
APPROVALS: ETL Listed to UL Standard 13, NEC Article 725.  
APPLICATION: Power Limited Circuit Cable for general purpose applications. Designed for home audio, theatre and automation applications.

## Construction Parameters:

Cable 1		Blue 24/4PR Cat 5e
Cable 2		Gray 24/4PR Cat 5e
Cable 3		Black 18ga Quad Shielded RG 6/U Coax
Cable 4		White 18ga Quad Shielded RG 6/U Coax
Diameters	Cable 1	0.220" Nom.
	Cable 2	0.220" Nom.
	Cable 3	0.295" Nom.
	Cable 4	0.295" Nom.
Overall Jacket Material		PVC
Overall Jacket Thickness		0.023" Nom.
Overall Cable Diameter		0.660" Nom.
Approximate Cable Weight		150.0 Lbs/1M' Nom.
Flame Rating		UL 1581 Vertical Tray Flame Test

## Electrical Properties:

Temperature Rating -20°C to 60°C  
Operating Voltage 300 V RMS Max.

Note: See data sheets for Coleman parts 96263 and 92041 for complete electrical information.

Internal Cable Colors	Cat 5e: Blue and Gray Coax: Black and White
Jacket Color	Bright Blue
Legend (Surface Ink Print)	COLEMAN CABLE 99270 (ETL)US 3023226 TYPE CL2 2 X 24/4PR CAT5E TESTED TO 350 MHZ & 2 X 18 AWG RG6 QUAD SWEPT TO 3.0 GHZ -- W/O#

Note: The Category 5e cables are no longer a verified category cable after cabling.  
On special orders, the customer will accept all factory lengths and +/- 10 percent of total order requested.  
The jacket is sequentially footmarked and has a rip cord.

The information presented here is, to the best of our knowledge, true and accurate. Since conditions of use are beyond Coleman Cable's control, all product data presented is for informational purposes only and does not create a binding obligation or liability on Coleman Cable or confer any rights on any customer. The sale of product(s) is conditioned upon acceptance of a purchase order subject to Coleman Cable's standard terms and conditions contained therein, including without limitation Coleman Cable's standard warranty. Coleman Cable disclaims all liability in connection with the use of information contained herein or otherwise.

This specification is proprietary intellectual property of Coleman Cable. Any information contained herein shall not be disclosed to any party without written consent of Coleman Cable.

Customer Name \_\_\_\_\_  
Customer Approval \_\_\_\_\_ Date: \_\_\_\_\_

Specification Issue Date: July 7, 2005