



Cable Gland Accessories

747, 757 and 767 Series Stopper Plugs

Class I, Division 2
Type 4X; Exd/Exe IP68
ATEX  II 2 GD Ex d IIC & Ex e II Component
& Equipment
Zone 1, Zone 2, Zone 21 & Zone 22 - Gas
Groups IIA, IIB, IIC
ATEX  IM 2 Ex d I & Ex e I, IP66

747
CSA: Class I, Groups A, B, C, D; Class II,
Groups E, F, G; IP68; Type 4X; Ex d IIC
UL: Class I, Groups A, B, C, D; Class II, Groups
E, F, G; Class III
757
CSA: Ex e II, IP68, Type 4X

cCSAus: Class I, Groups A, B, C, D; Class II,
Groups E, F, G; Class III
767
CSA: Class I, Groups A, B, C, D; IP68; Type 4X;
Ex d/Ex e II C
UL: Class I, Groups A, B, C, D; Class II, Groups
E, F, G; Class III

Applications

- A comprehensive range of stopper plugs which are designed to close any unused entries in electrical equipment. In general care should be taken to ensure that a suitable entry thread sealing washer is also selected and installed, where applicable, to ensure that an effective seal is made at the entry, thereby maintaining the integrity of the enclosure or equipment I.P. rating.

Features

- Catering to both Industrial and Hazardous Area applications the range covers a number of different design types which are supplied in both metallic and non-metallic (e.g. Nylon) forms.

Standard Materials

- Brass fully nickel plated

Options

- Aluminum: replace suffix -5 with 1
- 316L stainless steel: replace suffix -5 with 4
- Nylon: replace suffix -5 with 2
- 757/767 Series optional O-ring replace **D** with **DR**



Certifications and Compliances

- UL Standard: 886 (1203), E60079-0, E60079-1, E60079-7
- CSA Standard: C22.2 No. 30, CAN/CSA E60079-0, CAN/CSA E60079-1, CAN/CSA E60079-7
- cCSAus Certified: 113642
- Hazardous Area: ATEX 001284U (component)
- Equipment: ATEX 001003
- EN 60079-0; EN 60079-1, EN 60079-7, EN 61241-1, IEC 60079-0, IEC 60079-1, IEC 60079-7, IEC 61241-1
- 757 and 767: IP68 when fitted with a CMP O ring entry thread sealing washer



Cable Gland Accessories

747 and 757 Series Stopper Plugs

Class I, Division 2
 Type 4X; Exd/Exe IP68
 ATEX  II 2 GD Ex d IIC & Ex e II Component
 & Equipment
 Zone 1, Zone 2, Zone 21 & Zone 22 - Gas
 Groups IIA, IIB, IIC
 ATEX  IM 2 Ex d I & Ex e I, IP66


747
 CSA: Class I, Groups, A, B, C, D; Class II,
 Groups E, F, G; IP68; Type 4X; Ex d IIC
 UL: Class I, Groups A, B, C, D; Class II, Groups
 E, F, G; Class III

757
 CSA: Ex e II, IP68, Type 4X
 UL: Class I, Groups A, B, C, D; Class II, Groups
 E, F, G; Class III

757 Series Stopper Plug

Plug Size	757 Series Male Thread Size	N'Plated Brass Part Number
M16	M16	757DM15
	M20	757DM25
M20	M25	757DM35
	M32	757DM45
M25	M40	757DM55
	M50	757DM65
M32	M63	757DM75
	M75	757DM85
M40	M90	757DM95
	1/2"NPT	757DT15
M50	3/4"NPT	757DT25
	1"NPT	757DT35
M63	1-1/4"NPT	757DT45
	1-1/2"NPT	757DT55
M75	2"NPT	757DT65
	2-1/2"NPT	757DT75
	3"NPT	757DT85

Optional 'O' Ring*





Hexagon Head Stopper Plug

*Change D to DR in catalog number

747 Series Stopper Plug

Plug Size	A/F Socket in mm	747 Series Male Thread Size	N'Plated Brass Part Number
M16	8	M16	747FAM15
		M20	747FAM25
M20	10	M25	747FAM35
		M32	747FAM45
M25	10	M40	747FAM55
		M50	747FAM65
M32	10	M63	747FAM75
		M75	747FAM85
M40	10	M90	747FAM95
		1/2"NPT	747FAT15
M50	10	3/4"NPT	747FAT25
		1"NPT	747FAT35
M63	14	1-1/4"NPT	747FAT45
		1-1/2"NPT	747FAT55
M75	14	2"NPT	747FAT65
		2-1/2"NPT	747FAT75
		3"NPT	747FAT85



Cable Gland Accessories

767 Series Stopper Plugs


Class I, Division 2
 Type 4X; Exd/Exe IP68
 ATEX \odot II 2 GD Ex d IIC & Ex e II Component
 & Equipment
 Zone 1, Zone 2, Zone 21 & Zone 22 - Gas
 Groups IIA, IIB, IIC
 ATEX \odot IM 2 Ex d I & Ex e I, IP66

767
 CSA: Class I, Groups A, B, C, D; IP68; Type 4X;
 Ex d/Ex e II C
 UL: Class I, Groups A, B, C, D; Class II, Groups
 E, F, G; Class III

767 Series Stopper Plug

Plug Size	A/F Socket in mm	767 Series Male Thread Size	N'Plated Brass Part Number	Nylon Part Number
—	8	M16	767DM15	767ERM12
		M20	767DM25	767ERM22
M16	10	M25	767DM35	767ERM32
		M32	767DM45	767ERM42
M20	10	M40	767DM55	767ERM52
		M50	767DM65	767ERM62
M25	10	M63	767DM75	767ERM72
		M75	767DM85	767ERM82
M32	10	M90	767DM95	767ERM92
		1/2"NPT	767DT15	767ERT12
M50	10	3/4"NPT	767DT25	767ERT22
		1"NPT	767DT35	767ERT32
M63	14	1-1/4"NPT	767DT45	767ERT42
		1-1/2"NPT	767DT55	767ERT52
M75	14	2"NPT	767DT65	767ERT62
		2-1/2"NPT	767DT75	767ERT72
		3"NPT	767DT85	767ERT82

Optional 'O' Ring *



Mushroom Head
Stopper Plug

*Change D to DR in catalog number