

Ordering Information

Watt	Base	Product #	Product Code	Description	Volts	Color Temp.	Lumens	CBCP	Useful Life*	Pkg. Qty.	Beam Spread	MOL
PAR16												
3.3 Watt	Med.	80748	PAR16/3NW/NFL/LED	Natural White ♦	120	5000	160	-	40000	1/6	28°	2.99"
3.3 Watt	Med.	80749	PAR16/3WW/NFL/LED	Warm White ♦	120	2700	145	-	40000	1/6	27°	2.99"
3.6 Watt	Med.	80732	PAR16/4AMB/NFL/LED	Amber	120	-	-	-	40000	1/6	22°	2.99"
3.6 Watt	Med.	80729	PAR16/4RED/NFL/LED	Red	120	-	-	-	40000	1/6	22°	2.99"
4.5 Watt	Med.	80730	PAR16/4BLU/NFL/LED	Blue	120	-	-	-	40000	1/6	22°	2.99"
4.5 Watt	Med.	80731	PAR16/4GRN/NFL/LED	Green	120	-	-	-	40000	1/6	22°	2.99"
† 5 Watt	Med.	80631	PAR16/5AMB/FL/LED	Amber	120	-	-	-	40000	1/10	40°	3.35"
† 5 Watt	Med.	80629	PAR16/5BLU/FL/LED	Blue	120	-	-	-	40000	1/10	40°	3.35"
† 5 Watt	Med.	80630	PAR16/5GRN/FL/LED	Green	120	-	-	-	40000	1/10	40°	3.35"
† 5 Watt	Med.	80628	PAR16/5RED/FL/LED	Red	120	-	-	-	40000	1/10	40°	3.35"
6 Watt	Med.	80698	PAR16/6NW/FL/LED2	Natural White ♦	120	5000	385	-	40000	1/10	40°	3.35"
6 Watt	Med.	80697	PAR16/6WW/FL/LED2	Warm White ♦	120	2700	310	-	40000	1/10	40°	3.35"
† 6 Watt	Med.	80722	PAR16/6WW/NFL/LED2	Warm White ♦	120	2700	310	-	40000	1/10	25°	3.35"
† 6 Watt	Med.	80720	PAR16/6WW/SP/LED2	Warm White ♦	120	2700	310	-	40000	1/10	14°	3.35"

* Useful Life is defined as the point in time at which the lamp will maintain at least 70% of its initial lumens. The lamp will continue to burn past this point, but at decreased light levels.

† Available until inventory is depleted. Contact your Halco account representative for substitute.


Warranty - Commercial / Industrial: This product is warranted for 5 years from the date of purchase, based on 10 hours of use per day. May not be compatible with all electronic transformers.

Not for use in enclosed fixtures.

♦ For use with analog dimmers only, not for use with electronic / digital dimmers. May not be compatible with all dimming systems, dimming performance may vary by system. Use on incompatible systems may shorten lamp life. Lamps should be tested in the application for compatibility prior to full installations on circuits using such devices.

Energy Savings Comparison

Total Lifetime Costs



† Maintenance costs based on 15 minutes to replace the lamp at \$40 per/hr over the life of the ProLED lamp.

‡ Energy costs based on \$0.11 kWh over 40,000 hour life.

For product and purchasing inquiries contact:

ecoDIRECT
 CLEAN ENERGY SOLUTIONS
www.ecodirect.com

Halco
 LIGHTING TECHNOLOGIES
 Atlanta | Cleveland | Houston | Phoenix