

## N412 - C ULTIMATE SERIES ENCLOSURES NEMA 4 & 12 SINGLE DOOR WALL-MOUNT



N412161206C

### Industry Standards

UL 508, Types 4, 12 & 13  
CSA Certified, Types 4, 12 & 13  
NEMA/EEMAC Type 4, 12 & 13

*Wall mounting brackets required to maintain UL/CSA external mounting requirements*

 UL Files E64791

 CSA File LL66078

## FEATURES-SPECIFICATIONS

### Applications

Hubbell Wiegmann N412C ULTIMATE Series Enclosures are designed to house and protect electrical and electronic components from harsh, dirty environments. For use in installations where dirt, dust, oil, water, or other contaminants are present. Streamlined styling, flush latching, and attractive durable finish complement any high tech electronic equipment.

### Construction

- Bodies and doors fabricated from 14 gauge steel
- Continuously Plasma welded seams
- Increased tub opening for better access
- Concealed hinges

- Doors are interchangeable and easily removable
- Grounding provisions provided
- 1/4-turn semi-flush oil tight latches are supplied to hold door securely closed
- Print pocket is provided
- Doors are sealed with poured-in-place polyurethane gasket\*\*
- Mounting holes in rear of enclosure
- Studs for mounting optional back panel (the Ultimate back panels have increased in size to accommodate larger foot-print installations)

### Finish

- ANSI 61 gray polyester powder inside and out

- An optional RAL7035 textured light-gray polyester powder finish is available, but is made to order only. (Consult Factory) An "LG" is all that is needed to order product.\*\*\*
- Optional back panels are white polyester powder
- Optional "G" panels have a conductive finish (See page I5)

### Accessories

- Back panels (see reference tables)
- Window door (see reference tables)
- See pages J1-J22. See pages J20-J22 for ULTIMATE Series Accessories
- Optional N412MFK mounting foot kit must be ordered separately

### N412C ULTIMATE SERIES SINGLE DOOR ENCLOSURES

| CATALOG NUMBER | BODY/DOOR STEEL GAUGE | ENCLOSURE SIZE H X W X D       | BACK PANEL CATALOG NUMBER* |          | BACK PANEL SIZE A & B | C           | E           |
|----------------|-----------------------|--------------------------------|----------------------------|----------|-----------------------|-------------|-------------|
|                |                       |                                | WHITE                      | "G"      |                       |             |             |
| N412121206C    | 14/14                 | 12.00x12.00x6.00 (305x305x152) | NP1212C                    | NP1212CG | 10.2x10.2 (259x259)   | 6.00 (152)  | —           |
| N412161206C    | 14/14                 | 16.00x12.00x6.00 (406x305x152) | NP1612C                    | NP1612CG | 14.2x10.2 (361x259)   | 8.00 (203)  | —           |
| N412161606C    | 14/14                 | 16.00x16.00x6.00 (406x406x152) | NP1616C                    | NP1616CG | 14.2x14.2 (361x361)   | 8.00 (203)  | —           |
| N412162006C    | 14/14                 | 16.00x20.00x6.00 (406x508x152) | NP2016C                    | NP2016CG | 14.2x18.2 (361x462)   | 8.00 (203)  | —           |
| N412201606C    | 14/14                 | 20.00x16.00x6.00 (508x406x152) | NP2016C                    | NP2016CG | 18.2x14.2 (462x361)   | 10.00 (254) | —           |
| N412202006C    | 14/14                 | 20.00x20.00x6.00 (508x508x152) | NP2020C                    | NP2020CG | 18.2x18.2 (462x462)   | 10.00 (254) | —           |
| N412241606C    | 14/14                 | 24.00x16.00x6.00 (610x406x152) | NP2416C                    | NP2416CG | 22.2x14.2 (564x361)   | 12.00 (305) | —           |
| N412242006C    | 14/14                 | 24.00x20.00x6.00 (610x508x152) | NP2420C                    | NP2420CG | 22.2x18.2 (564x462)   | 12.00 (305) | —           |
| N412242406C    | 14/14                 | 24.00x24.00x6.00 (610x610x152) | NP2424C                    | NP2424CG | 22.2x22.2 (564x564)   | 4.00 (102)  | 16.00 (406) |
| N412161208C    | 14/14                 | 16.00x12.00x8.00 (406x305x203) | NP1612C                    | NP1612CG | 14.2x10.2 (361x259)   | 8.00 (203)  | —           |
| N412161608C    | 14/14                 | 16.00x16.00x8.00 (406x406x203) | NP1616C                    | NP1616CG | 14.2x14.2 (361x361)   | 8.00 (203)  | —           |
| N412162008C    | 14/14                 | 16.00x20.00x8.00 (406x508x203) | NP2016C                    | NP2016CG | 14.2x18.2 (361x462)   | 8.00 (203)  | —           |
| N412201608C    | 14/14                 | 20.00x16.00x8.00 (508x406x203) | NP2016C                    | NP2016CG | 18.2x14.2 (462x361)   | 10.00 (254) | —           |
| N412241608C    | 14/14                 | 24.00x16.00x8.00 (610x406x203) | NP2416C                    | NP2416CG | 22.2x14.2 (564x361)   | 12.00 (305) | —           |
| N412202008C    | 14/14                 | 20.00x20.00x8.00 (508x508x203) | NP2020C                    | NP2020CG | 18.2x18.2 (462x462)   | 10.00 (254) | —           |
| N412242008C    | 14/14                 | 24.00x20.00x8.00 (610x508x203) | NP2420C                    | NP2420CG | 22.2x18.2 (564x462)   | 12.00 (305) | —           |
| N412302008C    | 14/14                 | 30.00x20.00x8.00 (762x508x203) | NP3020C                    | NP3020CG | 28.2x18.2 (716x462)   | 4.00 (102)  | 22.00 (559) |
| N412202408C    | 14/14                 | 20.00x24.00x8.00 (508x610x203) | NP2420C                    | NP2420CG | 18.2x22.2 (462x564)   | 10.00 (254) | —           |

\*Back panels must be ordered separately.

\*\*\*An optional RAL7035 Textured light-gray polyester powder finish is available, but is made to order only. (Consult Factory) An "LG" is all that is needed to order product.

Continued on page D9

## N412 - WC ULTIMATE SERIES ENCLOSURES NEMA 4 & 12 SINGLE DOOR WALL-MOUNT WITH WINDOW

| N412-WC ULTIMATE SERIES ENCLOSURES NEMA 4 & 12 SINGLE DOOR WALL-MOUNT WITH WINDOW |                       |                                 |                       |                            |          |                       |             |             |
|---|-----------------------|---------------------------------|-----------------------|----------------------------|----------|-----------------------|-------------|-------------|
| CATALOG NUMBER  | BODY/DOOR STEEL GAUGE | ENCLOSURE SIZE H X W X D        | VIEWABLE WINDOW AREA  | BACK PANEL CATALOG NUMBER* |          | BACK PANEL SIZE A & B | C           | E           |
|   |                       |                                 |                       | WHITE                      | "G"      |                       |             |             |
| N412121206WC  | 14/14                 | 12.00x12.00x6.00 (305x305x152)  | 7.50x6.25 (191x159)   | NP1212C                    | NP1212CG | 10.2x10.2 (259x259)   | 6.00 (152)  | —           |
| N412161206WC  | 14/14                 | 16.00x12.00x6.00 (406x305x152)  | 11.50x6.25 (292x159)  | NP1612C                    | NP1612CG | 14.2x10.2 (361x259)   | 8.00 (203)  | —           |
| N412201606WC  | 14/14                 | 20.00x16.00x6.00 (406x406x152)  | 15.50x10.25 (394x260) | NP2016C                    | NP2016CG | 18.2x14.2 (462x361)   | 10.00 (254) | —           |
| N412202006WC  | 14/14                 | 20.00x20.00x6.00 (406x508x152)  | 15.50x14.25 (394x362) | NP2020C                    | NP2020CG | 18.2x18.2 (462x462)   | 10.00 (254) | —           |
| N412242006WC  | 14/14                 | 24.00x20.00x6.00 (508x406x152)  | 19.50x14.25 (495x362) | NP2420C                    | NP2420CG | 22.2x18.2 (564x462)   | 12.00 (305) | —           |
| N412242406WC  | 14/14                 | 24.00x24.00x6.00 (508x508x152)  | 19.50x18.25 (495x464) | NP2424C                    | NP2424CG | 22.2x22.2 (564x564)   | 4.00 (102)  | 16.00 (406) |
| N412302406WC  | 14/14                 | 30.00x24.00x6.00 (610x406x152)  | 25.50x18.25 (648x464) | NP3024C                    | NP3024CG | 28.2x22.2 (716x564)   | 4.00 (102)  | 22.00 (559) |
| N412121208WC  | 14/14                 | 12.00x12.00x8.00 (610x508x152)  | 7.50x6.25 (191x159)   | NP1212C                    | NP1212CG | 10.2x10.2 (259x259)   | 6.00 (152)  | —           |
| N412161208WC  | 14/14                 | 16.00x12.00x8.00 (610x610x152)  | 11.50x6.25 (292x159)  | NP1612C                    | NP1612CG | 14.2x10.2 (361x259)   | 8.00 (203)  | —           |
| N412201608WC  | 14/14                 | 20.00x16.00x8.00 (406x305x203)  | 15.50x10.25 (394x260) | NP2016C                    | NP2016CG | 18.2x14.2 (462x361)   | 10.00 (254) | —           |
| N412202008WC  | 14/14                 | 20.00x20.00x8.00 (406x406x203)  | 15.50x14.25 (394x362) | NP2020C                    | NP2020CG | 18.2x18.2 (462x462)   | 10.00 (254) | —           |
| N412242008WC  | 14/14                 | 24.00x20.00x8.00 (406x508x203)  | 19.50x14.25 (495x362) | NP2420C                    | NP2420CG | 22.2x18.2 (564x462)   | 12.00 (305) | —           |
| N412242408WC  | 14/14                 | 24.00x24.00x8.00 (508x406x203)  | 19.50x18.25 (495x464) | NP2424C                    | NP2424CG | 22.2x22.2 (564x564)   | 4.00 (102)  | 16.00 (406) |
| N412302408WC  | 14/14                 | 30.00x24.00x8.00 (508x508x203)  | 25.50x18.25 (648x464) | NP3024C                    | NP3024CG | 28.2x22.2 (716x564)   | 4.00 (102)  | 22.00 (559) |
| N412161210WC  | 14/14                 | 16.00x12.00x10.00 (508x610x203) | 11.50x6.25 (292x159)  | NP1612C                    | NP1612CG | 14.2x10.2 (361x259)   | 8.00 (203)  | —           |
| N412201610WC  | 14/14                 | 20.00x16.00x10.00 (508x406x203) | 15.50x10.25 (394x260) | NP2016C                    | NP2016CG | 18.2x14.2 (462x361)   | 10.00 (254) | —           |
| N412202010WC  | 14/14                 | 20.00x20.00x10.00 (508x508x203) | 15.50x14.25 (394x362) | NP2020C                    | NP2020CG | 18.2x18.2 (462x462)   | 10.00 (254) | —           |
| N412242010WC  | 14/14                 | 24.00x20.00x10.00 (610x508x203) | 19.50x14.25 (495x362) | NP2420C                    | NP2420CG | 22.2x18.2 (564x462)   | 12.00 (305) | —           |
| N412242410WC  | 14/14                 | 24.00x24.00x10.00 (610x610x203) | 19.50x18.25 (495x464) | NP2424C                    | NP2424CG | 22.2x22.2 (564x564)   | 4.00 (102)  | 16.00 (406) |
| N412302410WC  | 14/14                 | 30.00x24.00x10.00 (762x610x203) | 25.50x18.25 (648x464) | NP3024C                    | NP3024CG | 28.2x22.2 (716x564)   | 4.00 (102)  | 22.00 (559) |
| N412202012WC  | 14/14                 | 20.00x20.00x12.00 (508x508x203) | 15.50x14.25 (394x362) | NP2020C                    | NP2020CG | 18.2x18.2 (462x462)   | 10.00 (254) | —           |
| N412242012WC  | 14/14                 | 24.00x20.00x12.00 (610x508x203) | 19.50x14.25 (495x362) | NP2420C                    | NP2420CG | 22.2x18.2 (564x462)   | 12.00 (305) | —           |
| N412242412WC  | 14/14                 | 24.00x24.00x12.00 (610x610x203) | 19.50x18.25 (495x464) | NP2424C                    | NP2424CG | 22.2x22.2 (564x564)   | 4.00 (102)  | 16.00 (406) |
| N412302412WC  | 14/14                 | 30.00x24.00x12.00 (762x610x203) | 25.50x18.25 (648x464) | NP3024C                    | NP3024CG | 28.2x22.2 (716x564)   | 4.00 (102)  | 22.00 (559) |
| N412242416WC**  | 14/14                 | 24.00x24.00x16.00 (610x610x203) | 19.50x18.25 (495x464) | NP2424C                    | NP2424CG | 22.2x22.2 (564x564)   | 4.00 (102)  | 16.00 (406) |
| N412242420WC**  | 14/14                 | 24.00x24.00x20.00 (610x610x305) | 19.50x18.25 (495x464) | NP2424C                    | NP2424CG | 22.2x22.2 (564x564)   | 4.00 (102)  | 16.00 (406) |
| N412302420WC**  | 14/14                 | 30.00x24.00x20.00 (610x610x305) | 19.50x18.25 (495x464) | NP3024C                    | NP3024CG | 28.2x22.2 (716x564)   | 4.00 (102)  | 22.00 (559) |

\*Back panels must be ordered separately.

\*\*Enclosures are supplied with closed cell neoprene gasket (not foam-in-place).

\*\*\*An optional RAL7035 Textured light-gray polyester powder finish is available, but is made to order only. (Consult Factory) An "LG" is all that is needed to order product.

## N412 - 3PTC ULTIMATE SERIES ENCLOSURES NEMA 4 SINGLE DOOR WALL MOUNT



N4122416083PTC

### Industry Standards

UL 508 Listed, Types 4 & 12  
CSA Certified, Types 4 & 12  
NEMA/EEMAC Type 4, 12 & 13

*Wall mounting brackets required to maintain UL/CSA external mounting requirements.*

UL File E64791

CSA File LL66078

## FEATURES-SPECIFICATIONS

### Applications

Hubbell Wiegmann N4123PTC ULTIMATE Series Enclosures are designed to house and protect electrical and electronic components from harsh, dirty environments. For use in installations where dirt, dust, oil, water, or other contaminants are present. Streamlined styling, flush latching, and attractive durable finish complement any high tech electronic equipment.

### Construction

- Bodies and doors fabricated from 14 gauge steel.
- Continuously welded seams ground smooth, less holes or knockouts.

- Body stiffeners are included in larger enclosures for added rigidity.
- Doors are interchangeable and easily removable.
- Grounding studs are welded to door and body assuring a positive ground.
- Print pocket is provided.
- Doors are sealed with poured-in-place gasket\*\*
- Mounting holes in rear of enclosure.
- Collar studs for mounting optional back panel.
- With 3pt Keylocking/padlocking Combo Handle

### Finish

- ANSI 61 gray polyester powder inside and out
- Optional back panels are white polyester powder
- Optional "G" panels have a conductive finish (See page I5)

### Accessories

- Optional N412MFK mounting foot kit must be ordered separately
- Back panels (see reference tables)
- Window door (reference tables)
- See pages J1-J22.

| N412-3PTC ULTIMATE SERIES ENCLOSURES NEMA 4 SINGLE DOOR WALL-MOUNT |                       |                                |                            |          |                       |                       |
|--|-----------------------|--------------------------------|----------------------------|----------|-----------------------|-----------------------|
| CATALOG NUMBER   | BODY/DOOR STEEL GAUGE | ENCLOSURE SIZE H X W X D       | BACK PANEL CATALOG NUMBER* |          | DOOR & BOX STIFFENERS | BACK PANEL SIZE A & B |
|  |                       |                                | WHITE                      | "G"      |                       |                       |
| N4121212063PTC   | 14/14                 | 12.00x12.00x6.00 (305x305x152) | NP1212C                    | NP1212CG | No                    | 10.2x10.2 (259x259)   |
| N4121612063PTC   | 14/14                 | 16.00x12.00x6.00 (406x305x152) | NP1612C                    | NP1612CG | No                    | 14.2x10.2 (361x259)   |
| N4121616063PTC   | 14/14                 | 16.00x16.00x6.00 (406x406x152) | NP1616C                    | NP1616CG | No                    | 14.2x14.2 (361x361)   |
| N4121620063PTC   | 14/14                 | 16.00x20.00x6.00 (406x508x152) | NP1620C                    | NP1620CG | No                    | 14.2x18.2 (361x462)   |
| N4122016063PTC   | 14/14                 | 20.00x16.00x6.00 (508x406x152) | NP2016C                    | NP2016CG | No                    | 18.2x14.2 (462x361)   |
| N4122020063PTC   | 14/14                 | 20.00x20.00x6.00 (508x508x152) | NP2020C                    | NP2020CG | No                    | 18.2x18.2 (462x462)   |
| N4122416063PTC   | 14/14                 | 24.00x16.00x6.00 (610x406x152) | NP2416C                    | NP2416CG | No                    | 22.2x14.2 (564x361)   |
| N4122420063PTC   | 14/14                 | 24.00x20.00x6.00 (610x508x152) | NP2420C                    | NP2420CG | No                    | 22.2x18.2 (564x462)   |
| N4122424063PTC   | 14/14                 | 24.00x24.00x6.00 (610x610x152) | NP2424C                    | NP2424CG | No                    | 22.2x22.2 (564x564)   |
| N4121612083PTC   | 14/14                 | 16.00x12.00x8.00 (406x305x203) | NP1612C                    | NP1612CG | No                    | 14.2x10.2 (361x259)   |
| N4121616083PTC   | 14/14                 | 16.00x16.00x8.00 (406x406x203) | NP1616C                    | NP1616CG | No                    | 14.2x14.2 (361x361)   |
| N4121620083PTC   | 14/14                 | 16.00x20.00x8.00 (406x508x203) | NP1620C                    | NP1620CG | No                    | 14.2x18.2 (361x462)   |
| N4122016083PTC   | 14/14                 | 20.00x16.00x8.00 (508x406x203) | NP2016C                    | NP2016CG | No                    | 18.2x14.2 (462x361)   |
| N4122020083PTC   | 14/14                 | 20.00x20.00x8.00 (508x508x203) | NP2020C                    | NP2020CG | No                    | 18.2x18.2 (462x462)   |
| N4122024083PTC   | 14/14                 | 20.00x24.00x8.00 (508x610x203) | NP2024C                    | NP2024CG | No                    | 18.2x22.2 (462x564)   |
| N4122416083PTC   | 14/14                 | 24.00x16.00x8.00 (406x305x203) | NP2416C                    | NP2416CG | No                    | 22.2x14.2 (564x361)   |
| N4122420083PTC   | 14/14                 | 24.00x20.00x8.00 (610x508x203) | NP2420C                    | NP2420CG | No                    | 22.2x18.2 (564x462)   |
| N4122424083PTC   | 14/14                 | 24.00x24.00x8.00 (610x610x203) | NP2424C                    | NP2424CG | No                    | 22.2x22.2 (564x564)   |
| N4122430083PTC   | 14/14                 | 24.00x30.00x8.00 (610x762x203) | NP2430C                    | NP2430CG | No                    | 22.2x28.2 (564x716)   |

\*Back panels must be ordered separately.

\*\*Enclosures are supplied with closed cell neoprene gasket (not foam-in-place).

## N412 - CST ULTIMATE SERIES ENCLOSURES NEMA 4 & 12 CARBON STEEL SLOPE TOP SINGLE DOOR



N412241608CST

### Industry Standards

UL 508 Listed, Types 4 & 12  
CSA Certified, Types 4 & 12  
NEMA/EEMAC Type 4, 12 & 13

*Wall mounting brackets required to maintain UL/CSA external mounting requirements.*

 UL File E64791

 CSA File LL66078

## FEATURES-SPECIFICATIONS

### Applications

Hubbell Wiegmann N412CST ULTIMATE Series Enclosures are designed to house and protect electrical and electronic components from harsh, dirty environments. For use in installations where dirt, dust, oil, water, or other contaminants are present. Streamlined styling, flush latching, and attractive durable finish complement any high tech electronic equipment.

### Construction

- Bodies and doors fabricated from 14 gauge steel.
- Continuously Plasma welded seams.
- Increased tub opening for better access.

- 20° sloped top.
- Sloped "Top tub flange".
- Concealed hinges.
- Doors are interchangeable and easily removable.
- Grounding provisions provided.
- 1/4-turn semi-flush oil tight latches are supplied to hold door securely closed.
- Print pocket is provided.
- Doors are sealed with poured-in-place polyurethane gasket.\*\*
- Mounting holes in rear of enclosure.
- Studs for mounting optional back panel (the Ultimate back panels have increased in size to accommodate larger foot-print installations).

- Ultimate Accessory Driven. (See pages J20-J22)

### Finish

- ANSI 61 gray polyester powder inside and out.
- Optional back panels are white polyester powder.
- Optional "G" panels have a conductive finish (See page I5)

### Accessories

- Optional N412MFK mounting foot kit must be ordered separately
- See pages J1-J22.

| N412-CST ULTIMATE SERIES ENCLOSURES NEMA 4 SINGLE DOOR WALL-MOUNT |                       |                                  |                            |          |                       |             |             |
|---|-----------------------|----------------------------------|----------------------------|----------|-----------------------|-------------|-------------|
| CATALOG NUMBER  | BODY/DOOR STEEL GAUGE | ENCLOSURE SIZE H X W X D         | BACK PANEL CATALOG NUMBER* |          | BACK PANEL SIZE A & B | C           | E           |
|   |                       |                                  | WHITE                      | "G"      |                       |             |             |
| N412121206CST   | 14/14                 | 12.00x12.00x6.00 (305x305x152)   | NP1212C                    | NP1212CG | 10.2x10.2 (259x259)   | 6.00 (152)  | —           |
| N412161206CST   | 14/14                 | 16.00x12.00x6.00 (406x305x152)   | NP1612C                    | NP1612CG | 14.2x10.2 (361x259)   | 8.00 (203)  | —           |
| N412201606CST   | 14/14                 | 20.00x16.00x6.00 (508x406x152)   | NP2016C                    | NP2016CG | 18.2x14.2 (462x361)   | 10.00 (254) | —           |
| N412202006CST   | 14/14                 | 20.00x20.00x6.00 (508x508x152)   | NP2020C                    | NP2020CG | 18.2x18.2 (462x462)   | 10.00 (254) | —           |
| N412161608CST   | 14/14                 | 16.00x16.00x8.00 (406x406x203)   | NP1616C                    | NP1616CG | 14.2x14.2 (361x361)   | 8.00 (203)  | —           |
| N412201608CST   | 14/14                 | 20.00x16.00x8.00 (508x406x203)   | NP2016C                    | NP2016CG | 18.2x14.2 (462x361)   | 10.00 (254) | —           |
| N412202008CST   | 14/14                 | 20.00x20.00x8.00 (508x508x203)   | NP2020C                    | NP2020CG | 18.2x18.2 (462x462)   | 10.00 (254) | —           |
| N412242008CST   | 14/14                 | 24.00x20.00x8.00 (610x508x203)   | NP2420C                    | NP2420CG | 22.2x18.2 (564x462)   | 12.00 (305) | —           |
| N412242408CST   | 14/14                 | 24.00x24.00x8.00 (610x610x203)   | NP2424C                    | NP2424CG | 22.2x22.2 (564x564)   | 4.00 (102)  | 16.00 (406) |
| N412302408CST   | 14/14                 | 30.00x24.00x8.00 (762x610x203)   | NP3024C                    | NP3024CG | 28.2x22.2 (716x564)   | 4.00 (102)  | 28.00 (711) |
| N412303008CST   | 14/14                 | 30.00x30.00x8.00 (762x762x203)   | NP3030C                    | NP3030CG | 28.2x28.2 (716x716)   | 4.00 (102)  | 22.00 (559) |
| N412363008CST   | 14/14                 | 36.00x30.00x8.00 (914x508x305)   | NP3630C                    | NP3630CG | 34.2x28.2 (869x716)   | 4.00 (102)  | 28.00 (711) |
| N412242410CST   | 14/14                 | 24.00x24.00x10.00 (610x610x254)  | NP2424C                    | NP2424CG | 22.2x22.2 (564x564)   | 4.00 (102)  | 16.00 (406) |
| N412302410CST   | 14/14                 | 30.00x24.00x10.00 (762x610x254)  | NP3024C                    | NP3024CG | 28.2x22.2 (716x564)   | 4.00 (102)  | 22.00 (559) |
| N412363010CST   | 14/14                 | 36.00x30.00x10.00 (914x762x254)  | NP3630C                    | NP3630CG | 34.2x28.2 (869x716)   | 4.00 (102)  | 28.00 (711) |
| N412483610CST   | 14/14                 | 48.00x36.00x10.00 (1219x914x254) | NP4836C                    | NP4836CG | 46.2x34.2 (1173x869)  | 24.00 (610) | —           |
| N412242412CST   | 14/14                 | 24.00x24.00x12.00 (610x610x305)  | NP2424C                    | NP2424CG | 22.2x22.2 (564x564)   | 4.00 (102)  | 16.00 (406) |
| N412302412CST   | 14/14                 | 30.00x24.00x12.00 (762x610x305)  | NP3024C                    | NP3024CG | 28.2x22.2 (716x564)   | 4.00 (102)  | 22.00 (559) |
| N412363012CST   | 14/14                 | 36.00x30.00x12.00 (914x762x305)  | NP3630C                    | NP3630CG | 34.2x28.2 (869x716)   | 4.00 (102)  | 28.00 (711) |

\*Back panels must be ordered separately.

**N412 - SSC ULTIMATE SERIES ENCLOSURES  
NEMA 4X SINGLE DOOR WALL-MOUNT**



N412201606SSC

**Industry Standards**

UL 508, Types 4, 4X, 12 & 13  
 CSA Certified, Types 4, 4X, 12 & 13  
 NEMA/EEMAC Type 4, 4X, 12 & 13

*Wall mounting brackets required to maintain UL/CSA external mounting requirements.*

UL Files E64791

CSA File LL66078

**FEATURES-SPECIFICATIONS**

**Applications**

Hubbell Wiegmann N412SSC ULTIMATE Stainless Steel Series Enclosures are designed to house and protect electrical and electronic components from harsh, dirty environments. For use in installations where dirt, dust, oil, water, or other contaminants are present. It is typically used in the following areas where corrosion-resistant protection is needed: food processing plants, pharmaceutical manufacturing facilities, petrochemical plants, pulp and paper processing, and waste water treatment facilities. Streamlined styling, flush latching, and attractive Stainless Steel finish complement any high tech electronic equipment.

**Construction**

- Bodies and doors fabricated from 14 gauge 304 or 316L Stainless Steel

- Continuously Plasma welded seams
- Increased tub opening for better access
- Concealed hinges
- Doors are interchangeable and easily removable
- Ground stud located in door
- 1/4-turn semi-flush oil tight latches are supplied to hold door securely closed
- Print pocket is provided
- Doors are sealed with poured-in-place polyurethane gasket\*\*
- Mounting holes in rear of enclosure
- Studs for mounting optional back panel (the Ultimate back panels have increased in size to accommodate larger foot-print installations)

**Finish**

- All exterior surfaces have a smooth grained finish
- Optional back panels are white polyester powder
- Optional "G" panels have a conductive finish (See page I5)

**Accessories**

- Back panels (see reference tables)
- Window door (see reference tables)
- See pages J1-J22. See pages J20-J22 for ULTIMATE Series Accessories
- Optional N412MFKSS mounting foot kit must be ordered separately

| N412-SSC ULTIMATE SERIES SINGLE DOOR STAINLESS ENCLOSURES |                |                       |                                   |                            |           |          |                        |                |   |
|---|----------------|-----------------------|-----------------------------------|----------------------------|-----------|----------|------------------------|----------------|---|
| CATALOG NUMBER  |                | BODY/DOOR STEEL GAUGE | ENCLOSURE SIZE H X W X D          | BACK PANEL CATALOG NUMBER* |           |          | BACK PANEL SIZE A & B  | C              | E |
| 304 SS  | 316L SS        |                       |                                   | WHITE                      | 304 SS    | "G"      |                        |                |   |
| N412121206SSC   | N412121206SSAC | 14/14                 | 12.00x12.00x6.00<br>(305x305x152) | NP1212C                    | —         | NP1212CG | 10.2x10.2<br>(259x259) | 6.00<br>(152)  | — |
| N412161206SSC   | N412161206SSAC | 14/14                 | 16.00x12.00x6.00<br>(406x305x152) | NP1612C                    | NP1612SSC | NP1612CG | 14.2x10.2<br>(361x259) | 8.00<br>(203)  | — |
| N412161606SSC   | N412161606SSAC | 14/14                 | 16.00x16.00x6.00<br>(406x406x152) | NP1616C                    | NP1616SSC | NP1616CG | 14.2x14.2<br>(361x361) | 8.00<br>(203)  | — |
| N412201606SSC   | N412201606SSAC | 14/14                 | 20.00x16.00x6.00<br>(508x406x152) | NP2016C                    | NP2016SSC | NP2016CG | 18.2x14.2<br>(462x361) | 10.00<br>(254) | — |
| N412202006SSC   | N412202006SSAC | 14/14                 | 20.00x20.00x6.00<br>(508x508x152) | NP2020C                    | NP2020SSC | NP2020CG | 18.2x18.2<br>(462x462) | 10.00<br>(254) | — |
| N412161208SSC   | N412161208SSAC | 14/14                 | 16.00x12.00x8.00<br>(406x305x203) | NP1612C                    | NP1612SSC | NP1612CG | 14.2x10.2<br>(361x259) | 8.00<br>(203)  | — |
| N412161608SSC   | N412161608SSAC | 14/14                 | 16.00x16.00x8.00<br>(406x406x203) | NP1616C                    | NP1616SSC | NP1616CG | 14.2x14.2<br>(361x361) | 8.00<br>(203)  | — |
| N412162008SSC   | N412162008SSAC | 14/14                 | 16.00x20.00x8.00<br>(406x508x203) | NP2016C                    | NP2016SSC | NP2016CG | 14.2x18.2<br>(361x462) | 8.00<br>(203)  | — |
| N412201608SSC   | N412201608SSAC | 14/14                 | 20.00x16.00x8.00<br>(508x406x203) | NP2016C                    | NP2016SSC | NP2016CG | 18.2x14.2<br>(462x361) | 10.00<br>(254) | — |
| N412202008SSC   | N412202008SSAC | 14/14                 | 20.00x20.00x8.00<br>(508x508x203) | NP2020C                    | NP2020SSC | NP2020CG | 18.2x18.2<br>(462x462) | 10.00<br>(254) | — |
| N412241608SSC   | N412241608SSAC | 14/14                 | 24.00x16.00x8.00<br>(610x406x203) | NP2416C                    | NP2416SSC | NP2416CG | 22.2x14.2<br>(564x361) | 10.00<br>(254) | — |

Continued on page E17

**N412 - WSSC ULTIMATE SERIES ENCLOSURES  
NEMA 4X SINGLE DOOR WALL-MOUNT WITH WINDOW**



N412202006WSSC

**Industry Standards**

UL 508, Types 4, 4X, 12 & 13  
CSA Certified, Types 4, 4X, 12 & 13  
NEMA/EEMAC Type 4, 4X, 12 & 13

*Wall mounting brackets required to maintain UL/CSA external mounting requirements.*

UL Files E64791

CSA File LL66078

**FEATURES-SPECIFICATIONS**

**Applications**

Hubbell Wiegmann N412WSSC ULTIMATE Stainless Steel Series Enclosures are designed to house and protect electrical and electronic components from harsh, dirty environments. For use in installations where dirt, dust, oil, water, or other contaminants are present. It is typically used in the following areas where corrosion-resistant protection is needed: food processing plants, pharmaceutical manufacturing facilities, petrochemical plants, pulp and paper processing, and waste water treatment facilities. Streamlined styling, flush latching, and attractive Stainless Steel finish complement any high tech electronic equipment.

**Construction**

- Bodies and doors fabricated from 14 gauge 304 Stainless Steel
- Continuously Plasma welded seams
- Increased tub opening for better access
- Concealed hinges
- Plexiglass viewing window
- Doors are interchangeable and easily removable
- Grounding provisions provided (tub only)
- 1/4-turn semi-flush oil tight latches are supplied to hold door securely closed
- Print pocket is provided
- Doors are sealed with poured-in-place polyurethane gasket\*\*

- Mounting holes in rear of enclosure
- Studs for mounting optional back panel (the Ultimate back panels have increased in size to accommodate larger foot-print installations)

**Finish**

- All exterior surfaces have a smooth grained finish
- Optional back panels are white polyester powder
- Optional "G" panels have a conductive finish (See page I5)

**Accessories**

- Back panels (see reference tables)
- See pages J1-J22. See pages J20-J22 for ULTIMATE Series Accessories
- Optional N412MFKSS mounting foot kit must be ordered separately

| N412WSSC ULTIMATE SERIES SINGLE DOOR WITH WINDOW STAINLESS ENCLOSURES |                       |                                   |                              |                            |          |                        |                |                |
|---|-----------------------|-----------------------------------|------------------------------|----------------------------|----------|------------------------|----------------|----------------|
| CATALOG NUMBER  | BODY/DOOR STEEL GAUGE | ENCLOSURE SIZE H X W X D          | VIEWABLE WINDOW AREA         | BACK PANEL CATALOG NUMBER* |          | BACK PANEL SIZE A & B  | C              | E              |
|   |                       |                                   |                              | WHITE                      | "G"      |                        |                |                |
| N412121206WSSC  | 14/14                 | 12.00x12.00x6.00<br>(305x305x152) | 7.50 x 6.25<br>(191 x 159)   | NP1212C                    | NP1212CG | 10.2x10.2<br>(259x259) | 6.00<br>(152)  | —              |
| N412161206WSSC  | 14/14                 | 16.00x12.00x6.00<br>(406x305x152) | 11.50 x 6.25<br>(292 x 159)  | NP1612C                    | NP1612CG | 14.2x10.2<br>(361x259) | 8.00<br>(203)  | —              |
| N412201606WSSC  | 14/14                 | 20.00x16.00x6.00<br>(508x406x152) | 15.50 x 10.25<br>(394 x 260) | NP2016C                    | NP2016CG | 18.2x14.2<br>(462x361) | 10.00<br>(254) | —              |
| N412202006WSSC  | 14/14                 | 20.00x20.00x6.00<br>(508x508x152) | 15.50 x 14.25<br>(394 x 362) | NP2020C                    | NP2020CG | 18.2x18.2<br>(462x462) | 10.00<br>(254) | —              |
| N412242006WSSC  | 14/14                 | 24.00x20.00x6.00<br>(610x508x152) | 19.50 x 14.25<br>(495 x 362) | NP2420C                    | NP2420CG | 22.2x18.2<br>(564x462) | 12.00<br>(305) | —              |
| N412242406WSSC  | 14/14                 | 24.00x24.00x6.00<br>(610x610x152) | 19.50 x 18.25<br>(495 x 464) | NP2424C                    | NP2424CG | 22.2x22.2<br>(564x564) | 4.00<br>(102)  | 16.00<br>(406) |
| N412302406WSSC  | 14/14                 | 30.00x24.00x6.00<br>(762x610x152) | 25.50 x 18.25<br>(648 x 464) | NP3024C                    | NP3024CG | 28.2x22.2<br>(716x564) | 4.00<br>(102)  | 22.00<br>(559) |
| N412121208WSSC  | 14/14                 | 12.00x12.00x8.00<br>(305x305x203) | 7.50 x 6.25<br>(191 x 159)   | NP1212C                    | NP1212CG | 10.2x10.2<br>(259x259) | 6.00<br>(152)  | —              |
| N412161208WSSC  | 14/14                 | 16.00x12.00x8.00<br>(406x305x203) | 11.50 x 6.25<br>(292 x 159)  | NP1612C                    | NP1612CG | 14.2x10.2<br>(361x259) | 8.00<br>(203)  | —              |
| N412201608WSSC  | 14/14                 | 20.00x16.00x8.00<br>(508x406x203) | 15.50 x 10.25<br>(394 x 260) | NP2016C                    | NP2016CG | 18.2x14.2<br>(462x361) | 10.00<br>(254) | —              |
| N412202008WSSC  | 14/14                 | 20.00x20.00x8.00<br>(508x508x203) | 15.50 x 14.25<br>(394 x 362) | NP2020C                    | NP2020CG | 18.2x18.2<br>(462x462) | 10.00<br>(254) | —              |
| N412242008WSSC  | 14/14                 | 24.00x20.00x8.00<br>(610x508x203) | 19.50 x 14.25<br>(495 x 362) | NP2420C                    | NP2420CG | 22.2x18.2<br>(564x462) | 12.00<br>(305) | —              |

\*Back panels must be ordered separately. \*\*Enclosures are supplied with closed cell neoprene gasket (not foam-in-place).

Continued on page E20

# N412 - SS3PTC & SSA3PTC ULTIMATE SERIES ENCLOSURES NEMA 12, 4 & 4X SINGLE DOOR WALL-MOUNT

E21



N412201606SS3PTC

## Industry Standards

UL 508 Listed, Types 4X, 12 & 13  
CSA Certified, Types 12 & 13  
NEMA/EEMAC Type 4X, 12 & 13



UL Files E64791



CSA File LL66078

## FEATURES-SPECIFICATIONS

### Applications

Hubbell Wiegmann N412SS3PTC ULTIMATE Series Enclosures are designed to house and protect electrical and electronic components from harsh, dirty environments. For use in installations where dirt, dust, oil, water, or other contaminants are present. Streamlined styling, flush latching, and attractive durable finish complement any high tech electronic equipment.

### Construction

- Bodies and doors fabricated from 14 gauge 304 stainless steel.
- Continuously welded seams ground smooth, less holes or knockouts.

- Body stiffeners are included in larger enclosures for added rigidity.
- Doors are interchangeable and easily removable.
- Grounding studs are welded to door and body assuring a positive ground.
- 1/4-turn semi-flush oil tight latches are supplied to hold door securely closed.
- Print pocket is provided.
- Foam in place door gasket.
- Mounting holes in rear of enclosure.\*\*
- Collar studs for mounting optional back panel.
- With a 3pt 316L SS Padlocking Handle.

### Finish

- All exterior surfaces have a smooth grained finish, interior has a standard commercial finish
- Optional back panels are white polyester powder
- Optional "G" panels have a conductive finish (See page 15)

### Accessories

- Optional N412MFKSS mounting foot kit must be ordered separately\*\*
- Back panels (see reference tables)
- Window door (reference tables)
- See pages J1-J22.

## N412 SS3PT SERIES SINGLE DOOR WALL MOUNT STAINLESS ENCLOSURES

| CATALOG NUMBER   | ENCLOSURE SIZE<br>H X W X D    | BACK PANEL CATALOG NUMBER* |           |          | BACK PANEL<br>SIZE A X B |
|------------------|--------------------------------|----------------------------|-----------|----------|--------------------------|
|                  |                                | WHITE                      | 304 SS    | "G"      |                          |
| N412121206SS3PTC | 12.00x12.00x6.00 (305x305x152) | NP1212C                    | NP1212SSC | NP1212CG | 10.2x10.2 (259x259)      |
| N412161206SS3PTC | 16.00x12.00x6.00 (406x305x152) | NP1612C                    | NP1612SSC | NP1612CG | 14.2x10.2 (361x259)      |
| N412161606SS3PTC | 16.00x16.00x6.00 (406x406x152) | NP1616C                    | NP1616SSC | NP1616CG | 14.2x14.2 (361x361)      |
| N412201606SS3PTC | 20.00x16.00x6.00 (508x406x152) | NP2016C                    | NP2016SSC | NP2016CG | 18.2x14.2 (462x361)      |
| N412202006SS3PTC | 20.00x20.00x6.00 (508x508x152) | NP2020C                    | NP2020SSC | NP2020CG | 18.2x18.2 (462x462)      |
| N412161208SS3PTC | 16.00x12.00x8.00 (406x305x203) | NP1612C                    | NP1612SSC | NP1612CG | 14.2x10.2 (361x259)      |
| N412161608SS3PTC | 16.00x16.00x8.00 (406x406x203) | NP1616C                    | NP1616SSC | NP1616CG | 14.2x14.2 (361x361)      |
| N412162008SS3PTC | 16.00x20.00x8.00 (406x508x203) | NP1620C                    | NP1620SSC | NP1620CG | 14.2x18.2 (361x462)      |
| N412201608SS3PTC | 20.00x16.00x8.00 (508x406x203) | NP2016C                    | NP2016SSC | NP2016CG | 18.2x14.2 (462x361)      |
| N412202008SS3PTC | 20.00x20.00x8.00 (508x508x203) | NP2020C                    | NP2020SSC | NP2020CG | 18.2x18.2 (462x462)      |
| N412241608SS3PTC | 24.00x16.00x8.00 (610x406x203) | NP2416C                    | NP2416SSC | NP2416CG | 22.2x14.2 (564x361)      |
| N412242008SS3PTC | 24.00x20.00x8.00 (610x508x203) | NP2420C                    | NP2420SSC | NP2420CG | 22.2x18.2 (564x462)      |
| N412242408SS3PTC | 24.00x24.00x8.00 (610x610x203) | NP2424C                    | NP2424SSC | NP2424CG | 22.2x22.2 (564x564)      |
| N412302408SS3PTC | 30.00x24.00x8.00 (762x610x203) | NP3024C                    | NP3024SSC | NP3024CG | 28.2x22.2 (716x564)      |
| N412303008SS3PTC | 30.00x30.00x8.00 (762x762x203) | NP3030C                    | NP3030SSC | NP3030CG | 28.2x28.2 (716x716)      |
| N412362408SS3PTC | 36.00x24.00x8.00 (914x610x203) | NP3624C                    | NP3624SSC | NP3624CG | 34.2x22.2 (869x564)      |

\*Back panels must be ordered separately.

\*\*Enclosures are supplied with closed cell neoprene gasket (not foam-in-place).

Continued on page E22

**WIEGMANN**®

[www.hubbell-wiegmann.com](http://www.hubbell-wiegmann.com)

Data Subject To Change Without Notice



## N412 - SS3PTC & SSA3PTC ULTIMATE SERIES ENCLOSURES NEMA 4X SINGLE DOOR WALL-MOUNT

### N412 SS3PTC SERIES SINGLE DOOR WALL MOUNT STAINLESS ENCLOSURES CONT'D.

| CATALOG NUMBER     | ENCLOSURE SIZE<br>H X W X D      | BACK PANEL CATALOG NUMBER* |           |          | BACK PANEL<br>SIZE A X B |
|--------------------|----------------------------------|----------------------------|-----------|----------|--------------------------|
|                    |                                  | WHITE                      | 304 SS    | "G"      |                          |
| N412363008SS3PTC   | 36.00x30.00x8.00 (914x762x203)   | NP3630C                    | NP3630SSC | NP3630CG | 34.2x28.2 (869x716)      |
| N412202012SS3PTC   | 20.00x20.00x12.00 (508x508x305)  | NP2020C                    | NP2020SSC | NP2020CG | 18.2x18.2 (462x462)      |
| N412242412SS3PTC   | 24.00x24.00x12.00 (610x610x305)  | NP2424C                    | NP2424SSC | NP2424CG | 22.2x22.2 (564x564)      |
| N412302412SS3PTC   | 30.00x24.00x12.00 (762x610x305)  | NP3024C                    | NP3024SSC | NP3024CG | 28.2x22.2 (716x564)      |
| N412362412SS3PTC   | 36.00x24.00x12.00 (914x610x305)  | NP3624C                    | NP3624SSC | NP3624CG | 34.2x22.2 (869x564)      |
| N412363012SS3PTC   | 36.00x30.00x12.00 (914x762x305)  | NP3630C                    | NP3630SSC | NP3630CG | 34.2x28.2 (869x716)      |
| N412363612SS3PTC   | 36.00x36.00x12.00 (914x914x305)  | NP3636C                    | NP3636SSC | NP3636CG | 34.2x34.2 (869x869)      |
| N412423612SS3PTC   | 42.00x36.00x12.00 (1067x914x305) | NP4236C                    | NP4236SSC | NP4236CG | 40.2x34.2 (1021x869)     |
| N412483612SS3PTC** | 48.00x36.00x12.00 (1219x914x305) | NP4836C                    | NP4836SSC | NP4836CG | 46.2x34.2 (1173x869)     |
| N412603612SS3PTC** | 60.00x36.00x12.00 (1524x914x305) | NP6036C                    | NP6036SSC | NP6036CG | 58.2x34.2 (1478x869)     |

### N412 SSA3PTC SERIES SINGLE DOOR WALL MOUNT STAINLESS ENCLOSURES

| CATALOG NUMBER      | ENCLOSURE SIZE<br>H X W X D      | BACK PANEL CATALOG NUMBER* |           |          | BACK PANEL<br>SIZE A X B |
|---------------------|----------------------------------|----------------------------|-----------|----------|--------------------------|
|                     |                                  | WHITE                      | 304 SS    | "G"      |                          |
| N412121206SSA3PTC   | 12.00x12.00x6.00 (305x305x152)   | NP1212C                    | NP1212SSC | NP1212CG | 10.2x10.2 (259x259)      |
| N412161206SSA3PTC   | 16.00x12.00x6.00 (406x305x152)   | NP1612C                    | NP1612SSC | NP1612CG | 14.2x10.2 (361x259)      |
| N412161606SSA3PTC   | 16.00x16.00x6.00 (406x406x152)   | NP1616C                    | NP1616SSC | NP1616CG | 14.2x14.2 (361x361)      |
| N412201606SSA3PTC   | 20.00x16.00x6.00 (508x406x152)   | NP2016C                    | NP2016SSC | NP2016CG | 18.2x14.2 (462x361)      |
| N412202006SSA3PTC   | 20.00x20.00x6.00 (508x508x152)   | NP2020C                    | NP2020SSC | NP2020CG | 18.2x18.2 (462x462)      |
| N412161208SSA3PTC   | 16.00x12.00x8.00 (406x305x203)   | NP1612C                    | NP1612SSC | NP1612CG | 14.2x10.2 (361x259)      |
| N412161608SSA3PTC   | 16.00x16.00x8.00 (406x406x203)   | NP1616C                    | NP1616SSC | NP1616CG | 14.2x14.2 (361x361)      |
| N412162008SSA3PTC   | 16.00x20.00x8.00 (406x508x203)   | NP1620C                    | NP1620SSC | NP1620CG | 14.2x18.2 (361x462)      |
| N412201608SSA3PTC   | 20.00x16.00x8.00 (508x406x203)   | NP2016C                    | NP2016SSC | NP2016CG | 18.2x14.2 (462x361)      |
| N412202008SSA3PTC   | 20.00x20.00x8.00 (508x508x203)   | NP2020C                    | NP2020SSC | NP2020CG | 18.2x18.2 (462x462)      |
| N412241608SSA3PTC   | 24.00x16.00x8.00 (610x406x203)   | NP2416C                    | NP2416SSC | NP2416CG | 22.2x14.2 (564x361)      |
| N412242008SSA3PTC   | 24.00x20.00x8.00 (610x508x203)   | NP2420C                    | NP2420SSC | NP2420CG | 22.2x18.2 (564x462)      |
| N412242408SSA3PTC   | 24.00x24.00x8.00 (610x610x203)   | NP2424C                    | NP2424SSC | NP2424CG | 22.2x22.2 (564x564)      |
| N412302408SSA3PTC   | 30.00x24.00x8.00 (762x610x203)   | NP3024C                    | NP3024SSC | NP3024CG | 28.2x22.2 (716x564)      |
| N412303008SSA3PTC   | 30.00x30.00x8.00 (762x762x203)   | NP3030C                    | NP3030SSC | NP3030CG | 28.2x28.2 (716x716)      |
| N412362408SSA3PTC   | 36.00x24.00x8.00 (914x610x203)   | NP3624C                    | NP3624SSC | NP3624CG | 34.2x22.2 (869x564)      |
| N412363008SSA3PTC   | 36.00x30.00x8.00 (914x762x203)   | NP3630C                    | NP3630SSC | NP3630CG | 34.2x28.2 (869x716)      |
| N412202012SSA3PTC   | 20.00x20.00x12.00 (508x508x305)  | NP2020C                    | NP2020SSC | NP2020CG | 18.2x18.2 (462x462)      |
| N412242412SSA3PTC   | 24.00x24.00x12.00 (610x610x305)  | NP2424C                    | NP2424SSC | NP2424CG | 22.2x22.2 (564x564)      |
| N412302412SSA3PTC   | 30.00x24.00x12.00 (762x610x305)  | NP3024C                    | NP3024SSC | NP3024CG | 28.2x22.2 (716x564)      |
| N412362412SSA3PTC   | 36.00x24.00x12.00 (914x610x305)  | NP3624C                    | NP3624SSC | NP3624CG | 34.2x22.2 (869x564)      |
| N412363012SSA3PTC   | 36.00x30.00x12.00 (914x762x305)  | NP3630C                    | NP3630SSC | NP3630CG | 34.2x28.2 (869x716)      |
| N412363612SSA3PTC   | 36.00x36.00x12.00 (914x914x305)  | NP3636C                    | NP3636SSC | NP3636CG | 34.2x34.2 (869x869)      |
| N412423612SSA3PTC   | 42.00x36.00x12.00 (1067x914x305) | NP4236C                    | NP4236SSC | NP4236CG | 40.2x34.2 (1021x869)     |
| N412483612SSA3PTC** | 48.00x36.00x12.00 (1219x914x305) | NP4836C                    | NP4836SSC | NP4836CG | 46.2x34.2 (1173x869)     |
| N412603612SSA3PTC** | 60.00x36.00x12.00 (1524x914x305) | NP6036C                    | NP6036SSC | NP6036CG | 58.2x34.2 (1478x869)     |

\*Back panels must be ordered separately.

\*\*Enclosures are supplied with closed cell neoprene gasket (not foam-in-place).






**NP1212C**

**FEATURES-SPECIFICATIONS**

**Description**

- Steel and stainless panels are 12 gauge
- Steel panels are painted white polyester powder
- Optional "G" panels have a conductive finish (no paint)
- Panels fit the following enclosures:
  - N412C
  - N412WC
  - N412CD
  - N412CSTD
  - N412CST
  - N412CSSSTD
  - N412SS3PTC

| C SERIES BACK PANELS ACCESSORY PANELS FOR ULTIMATE N412C ENCLOSURES |                |                     |                      |
|---|----------------|---------------------|----------------------|
| PAINTED STEEL (WHITE)   | CATALOG NUMBER |                     | PANEL SIZE A X B     |
|   | "G"            | 304 STAINLESS STEEL |                      |
| NP1212C   | NP1212CG       | —                   | 10.2X10.2 (259X259)  |
| NP1612C   | NP1612CG       | NP1612SSC           | 14.2X10.2 (361X259)  |
| NP1616C   | NP1616CG       | NP1616SSC           | 14.2X14.2 (361X361)  |
| NP2016C   | NP2016CG       | NP2016SSC           | 18.2X14.2 (462X361)  |
| NP2416C   | NP2416CG       | NP2416SSC           | 22.2X14.2 (564X361)  |
| NP2020C   | NP2020CG       | NP2020SSC           | 18.2X18.2 (462X462)  |
| NP2420C   | NP2420CG       | NP2420SSC           | 22.2X18.2 (564X462)  |
| NP3020C   | NP3020CG       | —                   | 28.2X18.2 (716X462)  |
| NP2424C   | NP2424CG       | NP2424SSC           | 22.2X22.2 (564X564)  |
| NP3024C   | NP3024CG       | NP3024SSC           | 28.2X22.2 (716X564)  |
| NP3624C   | NP3624CG       | NP3624SSC           | 34.2X22.2 (869X564)  |
| NP4024C   | NP4024CG       | —                   | 38.2X22.2 (970X564)  |
| NP4824C   | NP4824CG       | —                   | 46.2X22.2 (1173X564) |
| NP2430C   | NP2430CG       | —                   | 22.2X28.2 (564X716)  |
| NP3030C   | NP3030CG       | NP3030SSC           | 28.2X28.2 (716X716)  |
| NP3630C   | NP3630CG       | NP3630SSC           | 34.2X28.2 (869X716)  |
| NP3636C   | NP3636CG       | NP3636SSC           | 34.2X34.2 (869X869)  |
| NP4236C   | NP4236CG       | NP4236SSC           | 40.2X34.2 (1021X869) |
| NP4836C   | NP4836CG       | NP4836SSC           | 46.2X34.2 (1173X869) |
| NP6036C   | NP6036CG       | NP6036SSC           | 58.2X34.2 (1478X869) |



| PART NUMBER       | PAGE     | PART NUMBER      | PAGE | PART NUMBER    | PAGE         | PART NUMBER | PAGE         |
|-------------------|----------|------------------|------|----------------|--------------|-------------|--------------|
| N412482410C       | D8-D11   | N412603812CDSSA  | F7   | N4D6260123PT   | D24          | NP2020PP    | B7           |
| N412482410CLG     | D8       | N412603812CSTD   | F8   | N4D746012      | D20          | NP2020SS    | I4           |
| N412482412        | OBSOLETE | N412603816CSSSTD | F8   | N4D7460123PT   | D24          | NP2020SSC   | I5           |
| N4124824123PTC    | D14      | N412MFK          | J6   | N4D747212      | D20          | NP2416      | I4           |
| N412482412C       | D8-D11   | N412MFKSS        | J6   | N4D7472123PT   | D24          | NP2416C     | I5           |
| N412482412CLG     | D8       | N4161206         | D18  | N4D747224      | D20          | NP2416CG    | D8           |
| N412483610C       | D8-D11   | N4161208         | D18  | N4D7472243PT   | D24          | NP2416G     | C7, C16, D18 |
| N412483610CLG     | D8       | N4161606         | D18  | N4S722518FS    | D22          | NP2416SS    | I4           |
| N412483610CST     | D16      | N4162006         | D18  | N4S722518FSSS  | D38          | NP2416SSC   | I5           |
| N412483610SSC     | D16-E19  | N4201606         | D18  | N4S722518FSSSA | D38          | NP2420      | I4           |
| N412483612        | OBSOLETE | N4201608         | D18  | N4S723124FS    | D22          | NP2420C     | I5           |
| N4124836123PTC    | D14      | N4201610         | D18  | N4S723124FSSS  | D38          | NP2420CG    | D8           |
| N412483612C       | D8-D11   | N4202006         | D18  | N4S723124FSSSA | D38          | NP2420G     | C7, C16, D18 |
| N412483612CLG     | D8       | N4202008         | D18  | N4S723724FS    | D22          | NP2420PP    | B7           |
| N412483612CST     | D16      | N4202408         | D18  | N4S723724FSSS  | D38          | NP2420SS    | I4           |
| N412483612SS      | OBSOLETE | N4241206         | D18  | N4S723724FSSSA | D38          | NP2420SSC   | I5           |
| N412483612SS3PTC  | E21-E22  | N4241606         | D18  | NP1212         | I4           | NP2424      | I4           |
| N412483612SSA     | OBSOLETE | N4242006         | D18  | NP1212C        | I5           | NP2424C     | I5           |
| N412483612SSA3PTC | E21-E22  | N4242008         | D18  | NP1212CG       | D8           | NP2424CG    | D8           |
| N412483612SSAC    | D16-E19  | N4242010         | D18  | NP1212G        | C7, C16, D18 | NP2424G     | C7, C16, D18 |
| N412483612SSC     | D16-E19  | N4242406         | D18  | NP1224         | I4           | NP2424PP    | B7           |
| N412483616        | OBSOLETE | N4242408         | D18  | NP1224G        | C7, C16, D18 | NP2424SS    | I4           |
| N4124836163PTC    | D14      | N4243008         | D18  | NP1612         | I4           | NP2424SSC   | I5           |
| N412483616C       | D8-D11   | N4302006         | D18  | NP1612C        | I5           | NP3016      | I4           |
| N412483616CLG     | D8       | N4302008         | D18  | NP1612CG       | D8           | NP3016G     | C7, C16, D18 |
| N412483616CSSST   | E24      | N4302406         | D18  | NP1612G        | C7, C16, D18 | NP3020      | I4           |
| N412483616CST     | D16      | N4302408         | D18  | NP1612PP       | B7           | NP3020C     | I5           |
| N412483812CD      | F6       | N4302410         | D18  | NP1612SS       | I4           | NP3020CG    | D8           |
| N412483812CDSS    | D16-E19  | N4302412         | D18  | NP1612SSC      | I5           | NP3020G     | C7, C16, D18 |
| N412483812CDSSA   | F7       | N4303008         | D18  | NP1616         | I4           | NP3020SS    | I4           |
| N412483812CSTD    | F8       | N4362406         | D18  | NP1616C        | I5           | NP3024      | I4           |
| N412483816CSSSTD  | F8       | N4362408         | D18  | NP1616CG       | D8           | NP3024C     | I5           |
| N412603610C       | D8-D11   | N4363008         | D18  | NP1616G        | C7, C16, D18 | NP3024CG    | D8           |
| N412603610CLG     | D8       | N4363010         | D18  | NP1616PP       | B7           | NP3024G     | C7, C16, D18 |
| N412603610SSC     | D16-E19  | N4363012         | D18  | NP1616SS       | I4           | NP3024PP    | B7           |
| N412603612        | OBSOLETE | N4363016         | D18  | NP1616SSC      | I5           | NP3024SS    | I4           |
| N4126036123PTC    | D14      | N4423008         | D18  | NP2012         | I4           | NP3024SSC   | I5           |
| N412603612C       | D8-D11   | N4423608         | D18  | NP2012G        | C7, C16, D18 | NP3030      | I4           |
| N412603612CLG     | D8       | N4483010         | D18  | NP2016         | I4           | NP3030C     | I5           |
| N412603612CST     | D16      | N4483608         | D18  | NP2016C        | I5           | NP3030CG    | D8           |
| N412603612SS      | OBSOLETE | N4483610         | D18  | NP2016CG       | D8           | NP3030G     | C7, C16, D18 |
| N412603612SS3PTC  | E21-E22  | N4483612         | D18  | NP2016G        | C7, C16, D18 | NP3030PP    | B7           |
| N412603612SSA     | OBSOLETE | N4483616         | D18  | NP2016PP       | B7           | NP3030SS    | I4           |
| N412603612SSA3PTC | E21-E22  | N4603608         | D18  | NP2016SS       | I4           | NP3030SSC   | I5           |
| N412603612SSAC    | D16-E19  | N4603610         | D18  | NP2016SSC      | I5           | NP3624      | I4           |
| N412603612SSC     | D16-E19  | N4603616         | D18  | NP2020         | I4           | NP3624C     | I5           |
| N412603616CSSST   | E24      | N4D624810        | D20  | NP2020C        | I5           | NP3624CG    | D8           |
| N412603812CD      | F6       | N4D6248103PT     | D24  | NP2020CG       | D8           | NP3624G     | C7, C16, D18 |
| N412603812CDSS    | D16-E19  | N4D626012        | D20  | NP2020G        | C7, C16, D18 | NP3624PP    | B7           |