

## EJ351



## EJ500



## EI500 Series



Ivory



Light Almond

White

### Features

- Up to 48 ON/OFF events per day
- No neutral required
- Self learning, repeats first 24 hour ON/OFF pattern if not programmed
- “Random” setting turns light ON and OFF at slightly different times each day
- Controls incandescent lighting
- 15 minute memory guard protects against power failure

### Features

- Up to 14 ON/OFF events per week
- No neutral required
- “Random” setting turns light ON and OFF at slightly different times each day
- Auto Daylight Saving Time adjustment
- Astronomic feature auto adjusts to sunrise/sunset
- Controls incandescent lighting
- Battery backup guards against memory loss
- Single-pole or 3-way compatible

### Features

- Up to 14 ON/OFF events per week
- “Random” setting turns light ON and OFF at slightly different times each day
- Incandescent/Fluorescent/CFL/LED compatible
- Can be used for 24-hour or 7-day load control of lights, fans, pumps and other medium-duty loads
- Built-in rechargeable NiMH battery backup



## NEW EJ600A & EJ600

### Features

- Up to 14 ON/OFF events per week
- “Random” setting turns light ON and OFF at slightly different times each day
- Auto Daylight Saving Time adjustment
- Incandescent/Fluorescent/CFL/LED compatible
- Astronomic feature auto adjusts to sunrise/sunset
- Can be used for 24-hour or 7-day load control of lights, fans, pumps and other medium-duty loads
- Built-in rechargeable Lithium ion battery backup
- Single-pole or 3-way compatible



## ST01A & ST01

### Features

- Up to 40 ON/OFF events per week
- No neutral required
- “Random” setting turns light ON and OFF at slightly different times each day
- Auto Daylight Saving Time adjustment
- Astronomic feature, can be combined with specific timed ON/OFF programming
- Incandescent/Fluorescent/CFL/LED compatible
- Controls switched outlets
- Controls AC and DC up to 277V
- Programs stored in non-volatile memory
- Manual override
- CR2 lithium battery provides backup 2+ years
- Single-pole or 3-way compatible

# Look Out for NUMBER ONE

*The Heavy-Duty Astro In-Wall Timer*



EI600WC



EI600LAC



EI600C




When you desire versatility, bring in the heavy-hitting EI600 Series Heavy-Duty Astro Timer. The EI600 features up to 40 ON/OFF programmed events per week and an automatic daylight saving time adjustment. It controls AC and DC up to 277V and has an astronomic feature which can be combined with specific ON/OFF programming. Convenient program capabilities are designed

to suit any lighting schedule. All programs are securely stored in non-volatile memory and backed up by a CR2 lithium battery.

The timer is compatible with single-pole and 3-way incandescent, fluorescent, CFL, and LED bulbs and requires no neutral wire. With robust performance and an abundance of features, the EI600 is the number one choice for in-wall timers.



# Digital Product Comparison

|                                | Series  |   |  |   |   |
|--------------------------------|---|---|--|---|---|
|                                | EJ500   | EI500   | EJ600  | ST01  | EI600   |
| <b>Features</b>                |   |   |  |   |   |
| No Neutral Required            | 💡   |   |  | 💡   | 💡   |
| Controls CFL                   |   | 💡   | 💡  | 💡   | 💡   |
| Controls LED                   |   | 💡   | 💡  | 💡   | 💡   |
| 3-Way Switching                | 💡   |   | 💡  | 💡   | 💡   |
| <b>Ratings</b>                 |   |   |  |   |   |
| 240 VAC                        |   |   |  | 💡   | 💡   |
| 277 VAC                        |   |   |  | 💡   | 💡   |
| 12 Amp General Load            |   | 💡   | 💡  | 💡   | 💡   |
| 15 Amp General Load            |   | 💡   |  | 💡   | 💡   |
| 20 Amp General Load            |   |   |  |   | 💡   |
| 4 Amp Tungsten                 | 💡   | 💡   | 💡  | 💡   | 💡   |
| 8 Amp Tungsten                 |   | 💡   | 💡  | 💡   | 💡   |
| 15 Amp Tungsten                |   |   | 💡  | 💡   | 💡   |
| Minimum Load                   | 40 Watts  |   |  |   |   |
| Fluorescent Ballast (magnetic) | 4 A   | 8 A   | 4 A  | 8 A   | 16 A  |
| Motor Load                     |   | ¼ HP  | ¼ HP   | 1 HP  | 1 HP  |
| Warranty                       | 1 Year  | 1 Year  | 1 Year   | 1 Year  | 5 Years   |
| Agency                         |  |  |  |  |  |
| <b>Battery</b>                 |   |   |  |   |   |
| Rechargeable                   |   | NiMH  | Lithium Ion  |   |   |
| Replaceable                    | (2) LR44/SR44   |   |  | CR2 Lithium   | CR2 Lithium   |
| <b>Programming</b>             |   |   |  |   |   |
| Astronomic                     | 💡   |   | 💡  | 💡   | 💡   |
| Daylight Saving Time           | 💡   |   | 💡  | 💡   | 💡   |
| Random                         | 💡   | 💡   | 💡  | 💡   | 💡   |
| Program Range                  | 7-Day   | 7-Day   | 7-Day  | 7-Day   | 7-Day   |
| Maximum Number of Events       | 14  | 14  | 14   | 40  | 40  |

## Mechanical Product

| Model | VAC | Watts                          | Maximum Number of Events | Programming           |
|-------|-----|--------------------------------|--------------------------|-----------------------|
| EJ351 | 120 | 40 min/500 max (Tungsten only) | 48                       | Random, Self Learning |



[www.intermatic.com](http://www.intermatic.com)

© 2012 Intermatic Incorporated  
7777 Winn Road  
Spring Grove, IL 60081  
300EJ10019