



# Halogená® R20 Indoor Flood

Halogená 45W 120V R20 FL 1CT

Meet the Halogená® collection of light bulbs, the elegant, long life alternative to ordinary household light. Halogená provides bright, white light that lasts two years\*. Their long life makes them great for hard-to-reach fixtures. Fewer replacements means less hassle. But that's not all, Halogená light bulbs are also fully dimmable, which can save energy. From Decorative to PARs, from the Classic to easy grip Reflectors, Halogená light bulbs provide bright, white light, indoors or out.

## Product data

### • General Characteristics

Base	Medium [Single Contact Medium Screw]
Base Information	Brass [Brass Base]
Bulb	R-20
Bulb Material	Soft Glass
Bulb Finish	Frosted
Reflector Finish	Aluminized
Filament Shape	CC-8 [Axial]
Operating Position	Universal [Any or Universal (U)]
Main Application	Flood and Ambient Lighting
Atmosphere	Gas
RatedAvgLife(See Family Notes)	3000 hr
Estimated Energy Cost/YR	5.42 \$
Life with 3h/day use [years]	2.7 an

### • Light Technical Characteristics

Beam Description	Flood [Flood]
Beam Angle	38 D
Approx. MBCP	450 cd
Color Rendering Index	100 Ra8

Color Temperature	2815 K
Initial lumen	420 Lm

### • Electrical Characteristics

Watts	45 W
Voltage	120 V

### • Product Dimensions

Max Overall Length (MOL) - C	3.94 (max) in
Diameter D	2.5 in

### • Product Data


Product number	408831
Full product name	Halogená 45W 120V R20 FL 1CT
Short product name	45W 120V R20 FL 1CT
Pieces per Sku	1
eop_pck_cfg	6
Skus/Case	6
Bar code on pack	46677147273
Bar code on case	50046677408836
Logistics code(s)	925620020106
eop_net_weight_pp	0.010 kg

## Dimensional drawing

## Dimensional drawing

### E26, R20

Product	C (Max)	D (Norm)
45W E26/BRC 120V R-20 FL 38D FR	3.94	2.5



E26



© 2012 Koninklijke Philips Electronics N.V.  
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

[www.philips.com/lighting](http://www.philips.com/lighting)

2012, August 4  
data subject to change