

# COMPACT METALARC® and COMPACT SUPER METALARC® Reduced Outer Jacket Metal Halide Lamps



COMPACT METALARC® 175, 250, 400 & 1000 watt lamps and COMPACT SUPER METALARC® 400 watt lamps provide increased system efficiency, due to a smaller outer jacket, and superior METALARC performance.

COMPACT METALARC lamps are available in smaller outer jacket sizes to operate in a reduced fixture profile and to increase system efficiency. The reduced bulb diameter allows the fixture designer to locate the lamp arc tube closer to the reflector, thereby increasing fixture efficiency. The broad lamp selection allows the user to specify the size fixture for various wattage lamps due to the reduced envelope size.

## Key Features & Benefits

- Smaller, more versatile luminaires
- Lower installation costs
- Increased design flexibility
- Increased system efficiency
- Broad lamp selection
- Appealing, natural color
- Superior color rendering
- Superior METALARC performance
- Extremely energy efficient
- Available in universal, horizontal, or vertical operating positions

## Product Offering

Lamp	Wattage	Finish	Bulb
M175/U/MED	175	Clear/coated	E17
MP175/BU-ONLY/MED	175	Clear	E17
M250/U/ET-18	250	Clear	ET18
M400/U/BT-28	400	Clear/coated	BT28
M400/U/ET-18	400	Clear	ET18
MS400/BU-ONLY	400	Clear	BT28
MS400/HOR	400	Clear/coated	BT28
M1000/U/BT-37	1000	Clear	BT37

## Application Information

### Applications

- Ambient lighting for industrial, commercial and retail installations
- Canopy lighting
- Flood lighting
- Parking lots
- Security lighting

### Application Notes

1. M250/U, M400/U, M400/C/U and M1000/U are for use in universal burning positions. These lamps operate in standard HID mogul sockets.
2. M175/U/MED and M175/C/U/MED are for use in universal positions. The MP175/BU-ONLY/MED lamp has shrouded PRO-TECH technology allowing for safe use in open fixtures. These lamps operate in medium sockets.
3. All lamps, with the exception of MP175/BU-ONLY/MED, are designed for use in enclosed fixtures only.
4. MS400/HOR and MS400/C/HOR are for use in the horizontal position only. These lamps operate in position oriented mogul (POM) sockets.
5. MS400/BU-ONLY is for base-up applications only and operates in standard HID mogul sockets.

### Ballast Information

COMPACT METALARC lamps operate on the same ANSI ballasts as the standard metal halide lamps they replace.



## Specification Data

Fixture Description:	Type
Project/Job:	
SYLVANIA lamp:	
SYLVANIA ballast:	
Notes:	

## Ordering Information

Item Number	Ordering Abbreviation	Watts	Bulb	Base	ANSI Code	Avg. Rated Life (hrs.) <sup>1</sup>	Initial Lumens	Mean Lumens	CRI	Lamp CCT	Efficacy (LPW)
64479	M175/U/MED	175	E17	E26Med	M57/E	10,000V 7,500H	14,400V 12,800H	9,300V 9,300H	65	4000K	82 73
64480	M175/C/U/MED	175	E17	E26Med	M57/E	10,000V 7,500H	13,000V 11,080H	8,400V 8,400H	70	3600K	74 63
64733	MP175/ BU-ONLY/MED	175	E17	E26Med	M57/O	10,000	14,400	10,800	65	3600K	82
64474	M250/U/ET-18	250	ET18	E39Mogul	M58/E	10,000V 10,000H	22,000V 20,000H	17,500V 13,500H	65	4000K	88 80
64488	M400/U/BT-28	400	BT28	E39Mogul	M59/E	20,000V 15,000H	36,000V 32,000H	25,500V 20,500H	65	4000K	90 80
64489	M400/C/U/BT-28	400	BT28	E39Mogul	M59/E	20,000V 15,000H	36,000V 32,000H	22,500V 19,000H	70	3600K	90 80
64575	M400/U/ET-18	400	ET18	E39Mogul	M59/E	20,000V 15,000H	36,000V 33,000H	25,000V 21,500H	65	4000K	90 83
64441	MS400/BU-ONLY/BT-28	400	BT28	E39Mogul	M59/E	20,000	42,000	28,000	65	3800K	105
64443	MS400/HOR/BT-28	400	BT28	POM <sup>2</sup>	M59/E	20,000	39,000	27,000	65	4200K	98
64444	MS400/C/HOR/BT-28	400	BT28	POM <sup>2</sup>	M59/E	20,000	36,500	24,000	70	3800K	91
64469	M1000/U/BT-37	1000	BT37	E39Mogul	M47/E	15,000V 9,000H	110,000V 100,500H	96,000V 86,300H	65	3800K	110 108

Notes:

1. Average Rated Life based on 10 hour per start operation on ANSI ballast.
2. POM= Position Oriented Mogul base

## Lamp Comparison


Lamp Type – Mogul	Outer Jacket	L.C.L	M.O.L	Benefits
M400/U/BT-28	BT28	5"	8.3"	Improved fixture efficiency is possible due to smaller lamp size
M400/U	BT37	7"	11.5"	

## Ordering Guide


M	400	/	C	/	U	/	BT-28
COMPACT METALARC	Wattage: 400 Watts		Finish: C=Coated __=Clear		Operating position: U=Universal BU-ONLY=Base up HOR=Horizontal		Compact Bulb Size

## Technical Information

### Typical Lumen Depreciation




### Typical Mortality Curve



## Lamp Dimensions

	(A) MOL	(B) LCL	(C) Bulb Diameter
E17	5.43"	3.39"	2.13"
250W ET18	9.75"	5.75"	2.30"
400W ET18	9.75"	6.13"	2.30"
BT28	8.31"	5.00"	3.50"
BT37	11.50"	7.00"	4.60"



## Sample Specification

Lamp(s) shall be (a) COMPACT METALARC® M400/U/BT-28 having 36,000 initial lumens. Lamp construction shall include a lead-free, welded base with a maximum base temperature of 250°C.

### United States

**OSRAM SYLVANIA**  
100 Endicott Street  
Danvers, MA 01923  
1-800-LIGHTBULB

#### Trade

Phone: 800-255-5042  
Fax: 800-255-5043

#### National Accounts

Phone: 800-562-4671  
Fax: 800-562-4674

#### OEM/Special Markets

Phone: 800-762-7191  
Fax: 800-762-7192

#### Retail

Phone: 800-842-7010  
Fax: 800-842-7011

#### SYLVANIA Lighting Services

Phone: 800-323-0572  
Fax: 800-537-0784

#### Display/Optic

Phone: 888-677-2627  
Fax: 855-543-1043

### Canada

**OSRAM SYLVANIA LTD.**  
2001 Drew Road  
Mississauga, ON L5S 1S4  
1-800-LIGHTBULB

#### Trade

Phone: 800-263-2852  
Fax: 800-667-6772

#### OEM/Special Markets/Display/Optic

Phone: 800-265-2852  
Fax: 800-667-6772

#### Retail

Phone: 800-720-2852  
Fax: 800-667-6772

#### SYLVANIA Lighting Services

Phone: 800-663-4268  
Fax: 866-239-1278

### Mexico

**OSRAM MEXICO**  
Tultitlan/Edo de Mexico  
Phone: 011-52-55-58-99-18-50

#### ENCELIUM Technologies

#### United States

Phone: 201-928-2400  
Fax: 201-928-4028

#### Canada

Phone: 905-731-7678  
Fax: 905-731-1401

[www.sylvania.com](http://www.sylvania.com)

 /sylvania

 /sylvania

**WARNING:** This lamp can cause serious skin burn and eye inflammation from shortwave Ultraviolet radiation if the outer envelope of the lamp is broken or punctured. Do not use where people will remain for more than a few minutes unless adequate shielding or other safety precautions are used. Lamps that will automatically extinguish when the outer envelope is broken or punctured are commercially available.

SYLVANIA and METALARC are registered trademarks of OSRAM SYLVANIA Inc.  
SEE THE WORLD IN A NEW LIGHT is a registered trademark of OSRAM SYLVANIA Inc.